

DYNE TEST SOLUTIONS TYPE "A" 34-57 DYNES/cm²(mN/m)

Page: 1

Compilation date: 03/01/2014

Revision date: 25/05/2017

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: DYNE TEST SOLUTIONS TYPE "A" 34-57 DYNES/cm²(mN/m)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Industrial Use

1.3. Details of the supplier of the safety data sheet

Company name: Dyne Testing Ltd

Newton House 5 Parkside Court Greenhough Road

Lichfield Staffordshire WS13 7FE, UK

Tel: +44(0)1543 411460

Fax: +44(0)1543 415140

Email: sales@dynetesting.com

1.4. Emergency telephone number

Emergency tel: +44(0)1543 411460

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Repr. 1B: H360D

Most important adverse effects: May damage the unborn child.

2.2. Label elements

Label elements under CLP:

Hazard statements: H360D: May damage the unborn child.

Signal words: Danger

Hazard pictograms: GHS08: Health hazard



Precautionary statements: P202: Do not handle until all safety precautions have been read and understood.

DYNE TEST SOLUTIONS TYPE "A" 34-57 DYNES/cm2(mN/m)

Page: 2

P501: Dispose of contents/container to hazardous or special waste collection point.

P281: Use personal protective equipment as required.

P308+313: IF exposed or concerned: Get medical advice/attention.

P405: Store locked up.

2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

2-ETHOXYETHANOL

EINECS	CAS		CLP Classification	Percent
203-804-1	110-80-5	-	Flam. Liq. 3: H226; Repr. 1B: H360FD; Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302	1 -75%
FORMAMIDE				

200-842-0	75-12-7	-	Repr. 1B: H360D	26-99%	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

DYNE TEST SOLUTIONS TYPE "A" 34-57 DYNES/cm2(mN/m)

Page: 3

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the

contaminated area with signs and prevent access to unauthorised personnel. Turn

leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. Alert the

neighbourhood to the presence of fumes or gas.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

DYNE TEST SOLUTIONS TYPE "A" 34-57 DYNES/cm²(mN/m)

Page: 4

7.3. Specific end use(s)

Specific end use(s): No special requirement.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2-ETHOXYETHANOL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	8 mg/m3	-	-	-

FORMAMIDE

UK	37 mg/m3	56 mg/m3	-	-
----	----------	----------	---	---

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. **Respiratory protection:** Respiratory protective device with particle filter.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Environmental: Refer to specific Member State legislation for requirements under Community

environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless
Odour: Odourless

Evaporation rate: No data available.

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible in all proportions

Viscosity: No data available.

Boiling point/range°C: 135 Melting point/range°C: -90

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: 60 - 93 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available. Vapour pressure: 5.1 hPa at 20 °C

Relative density: 0.93 pH: No data available.

VOC g/I: No data available.

DYNE TEST SOLUTIONS TYPE "A" 34-57 DYNES/cm2(mN/m)

Page: 5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Copper.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

2-ETHOXYETHANOL

IVN	RAT	LD50	2400	mg/kg
ORL	MUS	LD50	5799	mg/kg
ORL	RAT	LD50	7750	mg/kg
SCU	RAT	LD50	3400	mg/kg
SKN	RAT	LD50	3900	mg/kg

FORMAMIDE

ORL	MUS	LD50	3150	mg/kg
ORL	RAT	LD50	3	gm/kg
SCU	RAT	LD50	>4	gm/kg

DYNE TEST SOLUTIONS TYPE "A" 34-57 DYNES/cm2(mN/m)

Page: 6

Relevant effects for mixture:

Effect	Route	Basis	
Acute toxicity (harmful)	INH DRM ING	Hazardous: calculated	
Toxicity for reproduction		Hazardous: calculated	

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
BLUEGILL (Lepomis macrochirus)	96H LC50	>10000	mg/l
DAPHNIA	48H EC50	1,892.52	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

[cont...]

DYNE TEST SOLUTIONS TYPE "A" 34-57 DYNES/cm2(mN/m)

Page: 7

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

This safety data sheet is prepared in accordance with Commission Regulation (EC) No

1272/2008.

Phrases used in s.2 and s.3: H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H332: Harmful if inhaled.

H360D: May damage the unborn child.

H360FD: May damage fertility. May damage the unborn child.

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R60: May impair fertility.

R61: May cause harm to the unborn child.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

DYNE TEST SOLUTIONS TYPE "A" 34-57 DYNES/cm²(mN/m)

Page: 8

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.